

Village of Barker



PUBLIC WORKS REPORT January 2022

Mark Remington, Superintendent
Gene Cavanaugh
April Roessler
Jacob Laskey

Streets:

- Cut low hanging branches on trees along North side of Main Street
- Got salt delivery & loaded salt into lean-to
- Plowed & salted streets, DPW garage parking lot and East Ave Ext to the Village Hall
- Got location and pole numbers for two streetlights that are out. Pallister Ave and High St
- Removed piles of snow with loader at the end of Woodward Ave, all intersections of streets, North and South edges to curbs on Main St and sidewalks along Main St
- Pushed back snow piles on North and South sides of driveway to the Village Hall
- Cleared snow around hydrants.

Water:

- Got inside of 1674 Quaker Rd to read the water meter. Outside reader has stopped reading
- Backflow inspection at 1875 Quaker Rd – house was sold

Equipment:

- Washed both trucks and tractors
- Detailed inside of B2301 tractor & cab
- Painted bottom part of frame in cab
- Niagara implement for a part for the L4060 tractor / Loader
- Took dump truck to Hartway Motors – replaced wiper motor and truck had a recall on air bags
- Ran salt out of salter, greased fittings on salter and dump truck
- Took dump truck to Niagara Truck Equipment. Repaired plow it was not working right. Replaced cables for truck and plow hook ups

Parks:

- Emptied garbage cans in both parks weekly
- Took down lights and Christmas decorations at the Village Park gazebo, stored away in metal building.
- Got hoses and meter hooked up to the hydrant, filled skating rink, used 12,500 gallons of water.
- Picked up branches in Village Park
- Shoveled skating rink and filled with water from hydrant to make ice smooth, used 5,000 gallons of water

Other:

- Lock city for supplies
- Wrote monthly reports
- Attended sexual harassment session at the Village Hall
- Went through paperwork at DPW office, organized desk
- Standish and Jones for supplies

Village of Barker



PUBLIC WORKS REPORT January 2022

Mark Remington, Superintendent
Gene Cavanaugh
April Roessler
Jacob Laskey

Streets:

- Cut low hanging branches on trees along North side of Main Street
- Got salt delivery & loaded salt into lean-to
- Plowed & salted streets, DPW garage parking lot and East Ave Ext to the Village Hall
- Got location and pole numbers for two streetlights that are out. Pallister Ave and High St
- Removed piles of snow with loader at the end of Woodward Ave, all intersections of streets, North and South edges to curbs on Main St and sidewalks along Main St
- Pushed back snow piles on North and South sides of driveway to the Village Hall
- Cleared snow around hydrants.

Water:

- Got inside of 1674 Quaker Rd to read the water meter. Outside reader has stopped reading
- Backflow inspection at 1875 Quaker Rd – house was sold

Equipment:

- Washed both trucks and tractors
- Detailed inside of B2301 tractor & cab
- Painted bottom part of frame in cab
- Niagara implement for a part for the L4060 tractor / Loader
- Took dump truck to Hartway Motors – replaced wiper motor and truck had a recall on air bags
- Ran salt out of salter, greased fittings on salter and dump truck
- Took dump truck to Niagara Truck Equipment. Repaired plow it was not working right. Replaced cables for truck and plow hook ups

Parks:

- Emptied garbage cans in both parks weekly
- Took down lights and Christmas decorations at the Village Park gazebo, stored away in metal building.
- Got hoses and meter hooked up to the hydrant, filled skating rink, used 12,500 gallons of water.
- Picked up branches in Village Park
- Shoveled skating rink and filled with water from hydrant to make ice smooth, used 5,000 gallons of water

Other:

- Lock city for supplies
- Wrote monthly reports
- Attended sexual harassment session at the Village Hall
- Went through paperwork at DPW office, organized desk
- Standish and Jones for supplies

Village of Barker



PUBLIC WORKS REPORT January 2022

Mark Remington, Superintendent
Gene Cavanaugh
April Roessler
Jacob Laskey

Streets:

- Cut low hanging branches on trees along North side of Main Street
- Got salt delivery & loaded salt into lean-to
- Plowed & salted streets, DPW garage parking lot and East Ave Ext to the Village Hall
- Got location and pole numbers for two streetlights that are out. Pallister Ave and High St
- Removed piles of snow with loader at the end of Woodward Ave, all intersections of streets, North and South edges to curbs on Main St and sidewalks along Main St
- Pushed back snow piles on North and South sides of driveway to the Village Hall
- Cleared snow around hydrants.

Water:

- Got inside of 1674 Quaker Rd to read the water meter. Outside reader has stopped reading
- Backflow inspection at 1875 Quaker Rd – house was sold

Equipment:

- Washed both trucks and tractors
- Detailed inside of B2301 tractor & cab
- Painted bottom part of frame in cab
- Niagara implement for a part for the L4060 tractor / Loader
- Took dump truck to Hartway Motors – replaced wiper motor and truck had a recall on air bags
- Ran salt out of salter, greased fittings on salter and dump truck
- Took dump truck to Niagara Truck Equipment. Repaired plow it was not working right. Replaced cables for truck and plow hook ups

Parks:

- Emptied garbage cans in both parks weekly
- Took down lights and Christmas decorations at the Village Park gazebo, stored away in metal building.
- Got hoses and meter hooked up to the hydrant, filled skating rink, used 12,500 gallons of water.
- Picked up branches in Village Park
- Shoveled skating rink and filled with water from hydrant to make ice smooth, used 5,000 gallons of water

Other:

- Lock city for supplies
- Wrote monthly reports
- Attended sexual harassment session at the Village Hall
- Went through paperwork at DPW office, organized desk
- Standish and Jones for supplies

Village of Barker



PUBLIC WORKS REPORT January 2022

Mark Remington, Superintendent
Gene Cavanaugh
April Roessler
Jacob Laskey

Streets:

- Cut low hanging branches on trees along North side of Main Street
- Got salt delivery & loaded salt into lean-to
- Plowed & salted streets, DPW garage parking lot and East Ave Ext to the Village Hall
- Got location and pole numbers for two streetlights that are out. Pallister Ave and High St
- Removed piles of snow with loader at the end of Woodward Ave, all intersections of streets, North and South edges to curbs on Main St and sidewalks along Main St
- Pushed back snow piles on North and South sides of driveway to the Village Hall
- Cleared snow around hydrants.

Water:

- Got inside of 1674 Quaker Rd to read the water meter. Outside reader has stopped reading
- Backflow inspection at 1875 Quaker Rd – house was sold

Equipment:

- Washed both trucks and tractors
- Detailed inside of B2301 tractor & cab
- Painted bottom part of frame in cab
- Niagara implement for a part for the L4060 tractor / Loader
- Took dump truck to Hartway Motors – replaced wiper motor and truck had a recall on air bags
- Ran salt out of salter, greased fittings on salter and dump truck
- Took dump truck to Niagara Truck Equipment. Repaired plow it was not working right. Replaced cables for truck and plow hook ups

Parks:

- Emptied garbage cans in both parks weekly
- Took down lights and Christmas decorations at the Village Park gazebo, stored away in metal building.
- Got hoses and meter hooked up to the hydrant, filled skating rink, used 12,500 gallons of water.
- Picked up branches in Village Park
- Shoveled skating rink and filled with water from hydrant to make ice smooth, used 5,000 gallons of water

Other:

- Lock city for supplies
- Wrote monthly reports
- Attended sexual harassment session at the Village Hall
- Went through paperwork at DPW office, organized desk
- Standish and Jones for supplies

Village of Barker



PUBLIC WORKS REPORT January 2022

Mark Remington, Superintendent
Gene Cavanaugh
April Roessler
Jacob Laskey

Streets:

- Cut low hanging branches on trees along North side of Main Street
- Got salt delivery & loaded salt into lean-to
- Plowed & salted streets, DPW garage parking lot and East Ave Ext to the Village Hall
- Got location and pole numbers for two streetlights that are out. Pallister Ave and High St
- Removed piles of snow with loader at the end of Woodward Ave, all intersections of streets, North and South edges to curbs on Main St and sidewalks along Main St
- Pushed back snow piles on North and South sides of driveway to the Village Hall
- Cleared snow around hydrants.

Water:

- Got inside of 1674 Quaker Rd to read the water meter. Outside reader has stopped reading
- Backflow inspection at 1875 Quaker Rd – house was sold

Equipment:

- Washed both trucks and tractors
- Detailed inside of B2301 tractor & cab
- Painted bottom part of frame in cab
- Niagara implement for a part for the L4060 tractor / Loader
- Took dump truck to Hartway Motors – replaced wiper motor and truck had a recall on air bags
- Ran salt out of salter, greased fittings on salter and dump truck
- Took dump truck to Niagara Truck Equipment. Repaired plow it was not working right. Replaced cables for truck and plow hook ups

Parks:

- Emptied garbage cans in both parks weekly
- Took down lights and Christmas decorations at the Village Park gazebo, stored away in metal building.
- Got hoses and meter hooked up to the hydrant, filled skating rink, used 12,500 gallons of water.
- Picked up branches in Village Park
- Shoveled skating rink and filled with water from hydrant to make ice smooth, used 5,000 gallons of water

Other:

- Lock city for supplies
- Wrote monthly reports
- Attended sexual harassment session at the Village Hall
- Went through paperwork at DPW office, organized desk
- Standish and Jones for supplies

Village of Barker



PUBLIC WORKS REPORT January 2022

Mark Remington, Superintendent
Gene Cavanaugh
April Roessler
Jacob Laskey

Streets:

- Cut low hanging branches on trees along North side of Main Street
- Got salt delivery & loaded salt into lean-to
- Plowed & salted streets, DPW garage parking lot and East Ave Ext to the Village Hall
- Got location and pole numbers for two streetlights that are out. Pallister Ave and High St
- Removed piles of snow with loader at the end of Woodward Ave, all intersections of streets, North and South edges to curbs on Main St and sidewalks along Main St
- Pushed back snow piles on North and South sides of driveway to the Village Hall
- Cleared snow around hydrants.

Water:

- Got inside of 1674 Quaker Rd to read the water meter. Outside reader has stopped reading
- Backflow inspection at 1875 Quaker Rd – house was sold

Equipment:

- Washed both trucks and tractors
- Detailed inside of B2301 tractor & cab
- Painted bottom part of frame in cab
- Niagara implement for a part for the L4060 tractor / Loader
- Took dump truck to Hartway Motors – replaced wiper motor and truck had a recall on air bags
- Ran salt out of salter, greased fittings on salter and dump truck
- Took dump truck to Niagara Truck Equipment. Repaired plow it was not working right. Replaced cables for truck and plow hook ups

Parks:

- Emptied garbage cans in both parks weekly
- Took down lights and Christmas decorations at the Village Park gazebo, stored away in metal building.
- Got hoses and meter hooked up to the hydrant, filled skating rink, used 12,500 gallons of water.
- Picked up branches in Village Park
- Shoveled skating rink and filled with water from hydrant to make ice smooth, used 5,000 gallons of water

Other:

- Lock city for supplies
- Wrote monthly reports
- Attended sexual harassment session at the Village Hall
- Went through paperwork at DPW office, organized desk
- Standish and Jones for supplies

Village of Barker



PUBLIC WORKS REPORT January 2022

Mark Remington, Superintendent
Gene Cavanaugh
April Roessler
Jacob Laskey

Streets:

- Cut low hanging branches on trees along North side of Main Street
- Got salt delivery & loaded salt into lean-to
- Plowed & salted streets, DPW garage parking lot and East Ave Ext to the Village Hall
- Got location and pole numbers for two streetlights that are out. Pallister Ave and High St
- Removed piles of snow with loader at the end of Woodward Ave, all intersections of streets, North and South edges to curbs on Main St and sidewalks along Main St
- Pushed back snow piles on North and South sides of driveway to the Village Hall
- Cleared snow around hydrants.

Water:

- Got inside of 1674 Quaker Rd to read the water meter. Outside reader has stopped reading
- Backflow inspection at 1875 Quaker Rd – house was sold

Equipment:

- Washed both trucks and tractors
- Detailed inside of B2301 tractor & cab
- Painted bottom part of frame in cab
- Niagara implement for a part for the L4060 tractor / Loader
- Took dump truck to Hartway Motors – replaced wiper motor and truck had a recall on air bags
- Ran salt out of salter, greased fittings on salter and dump truck
- Took dump truck to Niagara Truck Equipment. Repaired plow it was not working right. Replaced cables for truck and plow hook ups

Parks:

- Emptied garbage cans in both parks weekly
- Took down lights and Christmas decorations at the Village Park gazebo, stored away in metal building.
- Got hoses and meter hooked up to the hydrant, filled skating rink, used 12,500 gallons of water.
- Picked up branches in Village Park
- Shoveled skating rink and filled with water from hydrant to make ice smooth, used 5,000 gallons of water

Other:

- Lock city for supplies
- Wrote monthly reports
- Attended sexual harassment session at the Village Hall
- Went through paperwork at DPW office, organized desk
- Standish and Jones for supplies

Village of Barker



PUBLIC WORKS REPORT January 2022

Mark Remington, Superintendent
Gene Cavanaugh
April Roessler
Jacob Laskey

Streets:

- Cut low hanging branches on trees along North side of Main Street
- Got salt delivery & loaded salt into lean-to
- Plowed & salted streets, DPW garage parking lot and East Ave Ext to the Village Hall
- Got location and pole numbers for two streetlights that are out. Pallister Ave and High St
- Removed piles of snow with loader at the end of Woodward Ave, all intersections of streets, North and South edges to curbs on Main St and sidewalks along Main St
- Pushed back snow piles on North and South sides of driveway to the Village Hall
- Cleared snow around hydrants.

Water:

- Got inside of 1674 Quaker Rd to read the water meter. Outside reader has stopped reading
- Backflow inspection at 1875 Quaker Rd – house was sold

Equipment:

- Washed both trucks and tractors
- Detailed inside of B2301 tractor & cab
- Painted bottom part of frame in cab
- Niagara implement for a part for the L4060 tractor / Loader
- Took dump truck to Hartway Motors – replaced wiper motor and truck had a recall on air bags
- Ran salt out of salter, greased fittings on salter and dump truck
- Took dump truck to Niagara Truck Equipment. Repaired plow it was not working right. Replaced cables for truck and plow hook ups

Parks:

- Emptied garbage cans in both parks weekly
- Took down lights and Christmas decorations at the Village Park gazebo, stored away in metal building.
- Got hoses and meter hooked up to the hydrant, filled skating rink, used 12,500 gallons of water.
- Picked up branches in Village Park
- Shoveled skating rink and filled with water from hydrant to make ice smooth, used 5,000 gallons of water

Other:

- Lock city for supplies
- Wrote monthly reports
- Attended sexual harassment session at the Village Hall
- Went through paperwork at DPW office, organized desk
- Standish and Jones for supplies